
100
102
BITMAP OF THEMED FIRST COMPONENT
104
SIZING INPUT
106
SIZING MODULE
108
ALIGNMENT MODULE
110
CONTEXT RENDERED TO
114
CONVERSION COMPONENT
112
THEMED SECOND COMPONENT

FIG. 1


102
202
204
206
228
226
228
228
228
228
210
208
224
224
212
220
222
228
228
228
214
228
228
226
216
218

Fig. 2


300
302
BITMAP OF THEMED COMPONENT DESIGNED UNDER PARTICULAR DPI
304
SIZING INPUT
306
SIZING MODULE
308
CONTEXT RENDERED TO
310
DPI OF CONTEXT RENDERED TO

FIG. 3


400
402
404
406
460
450
428
470
426
410
408
424
480
420
422
412
414
416
418

Fig. 4


500
502
THEMED FIRST COMPONENT
504
SIZING INPUT
506
SIZING MODULE
508
ALIGNMENT MODULE
510
CONTEXT RENDERED TO
512
LIBRARY OF THEMED SECOND COMPONENT DESIGNED UNDER PARTICULAR DPI
514
DPI OF CONTEXT RENDERED TO

FIG. 5


600
602
THEMED FIRST COMPONENT
604
606
608
610
SIZING INPUT
SIZING MODULE
ALIGNMENT MODULE
CONTEXT RENDERED TO
612
614
SCALABLE FONT OF THEMED SECOND COMPONENT
DPI OF CONTEXT RENDERED TO

FIG. 6


700
702
THEMED FIRST COMPONENT
704
706
708
710
SIZING INPUT
SIZING MODULE
ALIGNMENT MODULE
CONTEXT RENDERED TO
712
714
VECTOR OF THEMED SECOND COMPONENT
DPI OF CONTEXT RENDERED TO

FIG. 7


800
810
RECEIVE SIZING INPUT
820
SCALE BITMAP OF THEMED FIRST COMPONENT UTILIZING NINE GRID METHODOLOGY
830
ALIGN THEMED SECOND COMPONENT WITHIN THEMED FIRST COMPONENT
840
RENDER TO CONTEXT

FIG. 8


900
910
RECEIVE SIZING INPUT
915
DETERMINE DPI OF CONTEXT RENTERED TO
920
DPI OF CONTEXT RENDERED TO DIFFERERNT FROM DPI THEMED COMPONENT DESIGNED UNDER?
NO
YES
930
SCALE THEMED COMPONENT BASED UPON RATIO OF DPI OF CONTEXT RENDERED TO TO DPI THEMED COMPONENT DESIGNED UNDER
940
RENDER TO CONTEXT

FIG. 9


1000
1010
RECEIVE SIZING INPUT
1020
DETERMINE DPI OF CONTEXT RENDERED TO
1030
CHOOSE APPROPRIATE THEMED SECOND COMPONENT FROM LIBRARY BASED UPON RATIO OF DPI OF CONTEXT RENDERED TO TO DPI THEMED SECOND COMPONENT DESIGNED UNDER
1040
ALIGN THEMED SECOND COMPONENT WITHIN THEMED FIRST COMPONENT
1050
RENDER TO CONTEXT

FIG. 10


1100
1110
RECEIVE SIZING INPUT
1115
DETERMINE DPI OF CONTEXT RENDERED TO
1120
SCALE SCALEABLE FONT OF THEMED SECOND COMPONENT IN ACCORDANCE WITH SIZING INPUT AND DPI OF CONTEXT RENDERED TO
1130
ALIGN THEMED SECOND COMPONENT WITHIN THEMED FIRST COMPONENT
1140
RENDER TO CONTEXT

FIG. 11


1200
1210
RECEIVE SIZING INPUT
1215
DETERMINE DPI OF CONTEXT RENDERED TO
1220
SCALE VECTOR OF THEMED SECOND COMPONENT IN ACCORDANCE WITH SIZING INPUT AND DPI OF CONTEXT RENDERED TO
1230
ALIGN THEMED SECOND COMPONENT WITHIN THEMED FIRST COMPONENT
1240
RENDER TO CONTEXT

FIG. 12

PACKET-2006-0205



Fig. 13



Fig. 14


PROCESSING UNIT
1521
COMPUTER
1520
Operating System
1535
Applications
1536
Modules
1537
Data
1538
1522
System Memory
1523
1525
RAM
1524
ROM
1532
Interface
Hard Drive
1527
1528
1533
Interface
Floppy Drive
DISK
1529
1530
1531
1534
Interface
CD-ROM Drive
DISK
1547
MONITOR
1540
1548
Video Adaptor
KEYBOARD
1542
MOUSE
1546
Serial Port Interface
MODEM
1554
WAN
1552
REMOTE COMPUTER
Network Adaptor
1553
LAN
1551
Memory Storage
1549
1550

FIG. 15



FIG. 16



FIG. 17



FIG. 20



Fig. 18



Fig. 19

PCT/US2007/062618



Fig. 21

FOREIGN PATENT DOCUMENTS



Fig. 22